

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	vladimir near2 savchenko.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/21 18:15
L2	4	timmm near2 falter.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/21 18:15
L3	2	martin near2 huvar.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/21 18:16
L4	17	joachim near2 bender.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/21 18:16
S1	40	(web near2 service wsdl) same (virtual near2 interface)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 08:56
S2	26	S1 and (@pd<"20031230" or @ad<"20031230" or @prad<"20031230" or @rlad<"20031230")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:11
S3	268	"SAP AKTIENGESELLSCHAFT".as.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 09:17
S4	48	S3 and virtual	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 09:18
S5	14	S3 and virtual and (soap uddi wsdl web with service)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:08
S6	435	uddi adj (registry server)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:11
S7	87	uddi adj (server)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:35
S8	59	S7 and (@pd<"20031230" or @ad<"20031230" or @prad<"20031230" or @rlad<"20031230")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:33
S9	3	uddi adj (server) and deployment near descriptor	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:12

EAST Search History

S10	27	S7 and (@pd<"20031230" or @ad<"20031230" or @prad<"20031230" or @rlad<"20031230") and authenticat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 12:01
S11	23	uddi adj (server) and authenticat\$3 and service same (reveal\$4 expos\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:36
S12	21	uddi adj (server) and authenticat\$3 and service same (reveal\$4 expos\$3) and (name identifier) with (service application)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:37
S13	17	S12 and (@pd<"20031230" or @ad<"20031230" or @prad<"20031230" or @rlad<"20031230") and authenticat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 10:37
S14	50	(US-20050278348-\$ or US-20060031850-\$ or US-20020032797-\$ or US-20030204645-\$ or US-20050256882-\$ or US-20050171910-\$ or US-20060064574-\$ or US-20030187988-\$ or US-20030014733-\$ or US-20040220998-\$ or US-20060004777-\$ or US-20060235882-\$ or US-20060129985-\$ or US-20050005158-\$ or US-20040068731-\$ or US-20060149830-\$ or US-20040117425-\$ or US-20070061277-\$ or US-20070124423-\$ or US-20020035639-\$ or US-20070055676-\$ or US-20030208563-\$ or US-20040006651-\$ or US-20040068554-\$ or US-20040122812-\$ or US-20040267808-\$).did. or (US-20050008022-\$ or US-20050010669-\$ or US-20050038771-\$ or US-20050119921-\$ or US-20050138032-\$ or US-20050283531-\$ or US-20060041522-\$ or US-20060095576-\$ or US-20060218102-\$ or US-20070083476-\$ or US-20060229054-\$ or US-20030233483-\$ or US-20040088713-\$ or US-20060026552-\$ or US-20050164704-\$ or US-20050190692-\$ or US-20050257196-\$ or US-20060026438-\$ or US-20030088678-\$).did. or (US-6243451-\$ or US-6041325-\$ or US-7159224-\$ or US-6738083-\$ or US-7213056-\$).did.	US-PGPUB; USPAT	OR	ON	2007/06/20 12:01
S15	32	S14 and (@pd<"20031230" or @ad<"20031230" or @prad<"20031230" or @rlad<"20031230")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/06/20 12:01

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▼](#)[Sign in](#)[Google](#)

bea, deployment descriptor

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 100 of about **152,000** for bea, **deployment descriptor**. (0.08 seconds)**web.xml Deployment Descriptor Elements**

This following sections describe the **deployment descriptor** elements defined in the web.xml file. The root element for web.xml is <web-app>. ...

edocs.bea.com/wls/docs61/webapp/web_xml.html - 107k - [Cached](#) - [Similar pages](#)

weblogic.xml Deployment Descriptor Elements

BEA WebLogic Server Release 7.0 Documentation :: Assembling and Configuring Web Applications.

edocs.bea.com/wls/docs70/webapp/weblogic_xml.html - 71k - [Cached](#) - [Similar pages](#)
[[More results from edocs.bea.com](#)]

weblogic.xml Deployment Descriptor Elements

eDocs Home > **BEA WebLogic Server 8.1 Documentation** > Developing Web Applications for WebLogic Server > weblogic.xml **Deployment Descriptor Elements**

...
e-docs.bea.com/wls/docs81/webapp/weblogic_xml.html - 97k -
[Cached](#) - [Similar pages](#)

Enterprise Application Deployment Descriptor Elements

The weblogic-application.xml file is the **BEA WebLogic Server-specific deployment descriptor** extension for the application.xml **deployment descriptor** from Sun ...

e-docs.bea.com/wls/docs81/programming/app_xml.html - 97k -
[Cached](#) - [Similar pages](#)
[[More results from e-docs.bea.com](#)]

Bill Roth's Blog: SCA and the future of development

More directly, it is a **deployment descriptor** on steroids, that works with any language, ... Note that SCA support in **BEA Workshop** will be forthcoming. ...
dev2dev.bea.com/blog/wgroth2/archive/2005/11/sca_and_the_fut.html - 35k -
[Cached](#) - [Similar pages](#)

An application's deployment descriptor source is visible.

From: **BEA Systems Inc.** Minor Subject: An application's **deployment descriptor** source is visible. Product(s) Affected: WebLogic Portal Threat level: High ...
dev2dev.bea.com/pub/advisory/169 - 30k - [Cached](#) - [Similar pages](#)
[[More results from dev2dev.bea.com](#)]

ISS X-Force Database: weblogic-deployment-descriptor-disclosure ...

ISS X-Force Database: weblogic-deployment-descriptor-disclosure(24297): **BEA WebLogic Portal deployment descriptor** information disclosure.
xforce.iss.net/xforce/xfdb/24297 - 15k - [Cached](#) - [Similar pages](#)

dev2dev Forums

<May 8, 2006 2:25:58 AM PDT> <Error> <netuix> <**BEA-423103**> <[] **Deployment descriptor** /WEB-INF/url-template-config.xml malformed.> javax.servlet. ...